

UNIVERSITY OF PUERTO RICO
CENTRAL ADMINISTRATION
NOTICE OF REQUEST FOR PROPOSAL RFP #DRO 24-004
DESIGN AND SUPERVISION SERVICES

Timeline:

RFP publication date: August 16, 2023.

Deadline for Request
for Information by email: August 23, 2023, Time: on or before 4:30pm.

Response for Request
for Information by email: August 25, 2023, Time: on or before 4:30pm.

The proposal must be submitted **by email on or before 11:59pm (AST) on August 29, 2023**. Address the indicated contacts in Section II (Mr. Julio Collazo Rivera, attention to Eng. Carlos Hiraldo and Eng. Eliezer Collazo). The University of Puerto Rico (UPR) will accept offers via email in digital PDF format at uprrecovery.rfp@upr.edu. To request the RFP Documents, write to us at said email.



The UPR is working towards its recovery, which requires the issuance of this Request for Proposal for Design and Supervision Services for the UPR Recovery Project **01115-DRO-08-23-UPRH-Reconditioning of UPR Humacao Facilities, NH Group 01, University of Puerto Rico**. The purpose of this RFP is to request and receive proposals from qualified Architecture and Engineering firms for the development of all design documents: As-Built, Basis of Design, detail design, specifications, cost estimates, schedules, scopes of work, bidding phase, and other required documentation for the compliance of the requirements of FEMA and PRDOH/CDBG-DR Non-Federal Match Program. The awarded firm or professional will also provide services of oversight and coordination for the execution of a complete comprehensive project.

Oficina de
Desarrollo
Físico e
Infraestructura

This project is divided into 4 buildings or DI's: 252551 Building 032 (Oficinas de Recibo y Entregas); 252521 Building 016 (Edificio Cuidado Diurno); 252520 Building 015 (Edificio de Terapia Física) and 252505 Building 012 (Edificio de Ciencias Administrativas). And will be working on the respective scope of work, as stated by FEMA. The project considers several construction tasks that will restore the facilities to their pre-disaster design, function, and capacity, including mitigation tasks as recommended by FEMA. All work to be performed must be within the existing footprint. Some works include mitigation measures and code compliance measures as recommended by FEMA in the respective scope of work for each building. Due to the building's year of construction, it may be necessary lead or asbestos abatement.

The UPR is an equal opportunity employer and does not discriminate as to sex, gender or sexual identity, race, age, national origin, religious creed, civil status, war veterans, handicap or disable status. The UPR reserves the right to reject any or all proposals and to award the auction under the conditions it deems most convenient to the interests of the UPR, regardless of the amount of the bids or to cancel the auction award at any time before the contract is signed.

Jardín Botánico Sur
1187 Calle Flamboyán
San Juan PR
00926-1117
Tel. 787-250-0000
Fax 787-250-6568


Julio Collazo (Aug 11, 2023 13:36 EDT)

Julio A. Collazo Rivera, Director

REQUEST FOR PROPOSALS FOR:

DESING AND SUPERVISION SERVICES FOR

Project Number: 01115-DRO-08-23-UPRH

**Project Title: Reconditioning of UPR Humacao Facilities,
NH Group 01, University of Puerto Rico**

RFP #DRO 24-004 / 01115

Physical Development and Infrastructure Office
Disaster Recovery Office
President's Office
University of Puerto Rico

Project funded by:
FEMA AND CDBG-DR PROGRAM



**Universidad
de Puerto Rico**

Contents

1. BACKGROUND AND PURPOSE.....	3
2. CONTACT AND TIMELINE	4
3. TIMELINE AND SUBMISSION DATE	4
4. PROJECT DESCRIPTION	5
5. SERVICES	5
6. COST PROPOSAL.....	6
7. REQUIRED DOCUMENTS FOR THE SUBMISSION OF THE PROPOSAL.....	7
8. UPR RESPONSIBILITIES	9
9. COMPENSATION FOR DESIGN AND SUPERVISION SERVICES AND PAYMENT METHOD ..	9
10. PROPOSAL SCORING AND EVALUATION CRITERIA	10
11. FINAL EVALUATION.....	13
12. PROJECT AWARD	13
13. JUDICIAL REVIEW	13
14. BLACKOUT PERIOD	14
15. UPR DISCLAIMERS	15
16. REQUIRED DOCUMENTS FOR THE SIGNING OF THE CONTRACT	20
17. APPENDIX A	22
18. APPENDIX B	26
19. APPENDIX C	31
20. APPENDIX D.....	33
21. APPENDIX E	37
22. APPENDIX F	39

1. BACKGROUND AND PURPOSE

The University of Puerto Rico (the "UPR") is a public corporation of the Government of Puerto Rico, organized by Act No. 1 of January 20, 1966, as amended, known as "Ley de la Universidad de Puerto Rico" (the "UPR Act"), 18 LPRA § 601 et seq, and a higher education institution. The UPR was severely devastated by Hurricane María, and as a result, is a subrecipient of the Puerto Rico Department of Housing (the "PRDOH"), under the CDBG-DR Non- Federal Match Program, and the Public Assistance Program of the Federal Emergency Management Agency (the "FEMA").

The UPR is working towards its recovery, which requires the issuance of this Request for Proposal (the "RFP") for Design and Supervision Services for the UPR Recovery Project - **01115-DRO-08-23-UPRH-Reconditioning of UPR Humacao Facilities, NH Group 01, University of Puerto Rico**, ("The Project"). This Program is 90% (\$698,940,543.78) funded by FEMA and 10% (\$42,625,237.77) matching funds of CDBG-DR Non- Federal Match Program and (\$35,034,822.65) institutional funds. The purpose of this RFP is to request and receive proposals from qualified Architecture and Engineering firms for the development of all design documents: As-Built, Basis of Design, detail design, specifications, cost estimates, schedules, scopes of work, and bidding phase and other required documentation for the compliance of the requirements of FEMA and PRDOH/CDBG-DR Non-Federal Match Program. The awarded firm or professional will also provide services of oversight and coordination for the execution of a complete comprehensive project.

Proponents must explain in detail how they will be able to provide the required services and achieve the expected results, while in compliance with FEMA and PRDOH/CDBG-DR Non-Federal Match Program requirements. Previous experience with projects subject to compliance requirements under FEMA and PRDOH/CDBG-DR Non-Federal Match Program is very important. Review and verification through the site area of FEMA's Scope of Work (the "SOW") is required, as well as the development of a detailed SOW (based exclusively in the FEMA SOW of hurricane damages provided) with current industry construction costs for the repair in compliance with applicable actual codes and regulations. In addition, proponents shall provide the percent fee applicable for any future additional scope or scope change required for reinstate facility to normal functional operation.

The awarded proponent shall comply with all applicable Federal, state, and local laws, rules, regulations, and policies relating to FEMA Public Assistance Program and PRDOH CDBG-DR Program services. This includes without limitation, applicable Federal Registers; 2 C.F.R. part 200 Uniform Administrative Requirements, Cost Principles, and Audit Requirements for Federal Awards; Community Development Act of 1974; 24 C.F.R. part 570 Community Development Block Grant; applicable waivers; Fair Housing Act, 24 C.F.R. § 35, 24 C.F.R. part 58, 24 C.F.R. part 135; National Historic Preservation Act; 2 C.F.R. part 200.101, where applicable, and any other applicable state laws or regulations, including the requirements related to nondiscrimination, labor standards, and the environment; and Action Plan amendments and HUD's guidance on the funds. [Click on link](#) to see Compliance with Federal Law, Regulations and Executive Orders.

2. CONTACT AND TIMELINE

The RFP shall be sent and addressed to:

Mr. Julio Collazo Rivera
Director
Office of Physical Development & Infrastructure

Attention to:
Eng. Carlos Hiraldo Torres and Eng. Eliezer Collazo
Field Operation Manager's
Disaster Recovery Office

University of Puerto Rico
Jardín Botánico Sur 1187, calle Flamboyán
Río Piedras, Puerto Rico 00926-1117
Tel. (787) 250-0000, Ext. 5099
E-mail: upprecovery.rfp@upr.edu

NOTICE: Be advised that interested proponents must register receipt of this RFP at upprecovery.rfp@upr.edu to qualify for receiving the following:

- Notice of changes or cancelation of the RFP;
- Responses to questions or clarifications made to interested proponents; and,
- Notice of award of the proposal.

3. TIMELINE AND SUBMISSION DATE

Description	Date
RFP publication	August 16, 2023.
Deadline for Request for Information (RFI) by email	August 23, 2023, Time: on or before 4:30pm Atlantic Standard Time (AST)
Response for Request for Information by email	August 25, 2023, Time: on or before 4:30pm Atlantic Standard Time (AST)
The proposal must be submitted by email. Address the indicated contacts in Section 2 – CONTACT (Mr. Julio Collazo Rivera, Attention to Eng. Carlos Hiraldo and Eng. Eliezer Collazo)	Aug 29, 2023, Time: on or before 11:59pm Atlantic Standard Time (AST).
Award Notification	September 2023
Execution of Agreement	October 2023

The proposal must be compiled in digital PDF format. The dates may be subject to change at the discretion of the UPR. Interested proponents have the responsibility of verifying and checking the email from which they issued a notice of receipt of this RFP, as was indicated in Section 2 of this RFP. All official communication related to

this RFP will be per that indication. The award notice of this proposal shall not constitute the formal agreement between the parties.

4. PROJECT DESCRIPTION

The project will be on Humacao Campus. This project is divided into 4 buildings or DI's: 252551 Building 032 (Oficinas de Recibo y Entregas); 252521 Building 016 (Edificio Cuidado Diurno); 252520 Building 015 (Edificio de Terapia Física) and 252505 Building 012 (Edificio de Ciencias Administrativas). And will be working on the respective scope of work, as stated by FEMA.

The project considers several construction tasks that will restore the facilities to their pre-disaster design, function, and capacity, including mitigation tasks as recommended by FEMA. All work to be performed must be within the existing footprint. Some works include mitigation measures and code compliance measures as recommended by FEMA in the respective scope of work for each building. Due to the building's year of construction, it may be necessary lead or asbestos abatement.

In general terms, the required tasks for those buildings are as follows (See SOW in **Appendix F** for specifications).

5. SERVICES

The **Awarded Proponent** will carry out, as part of the design and supervision services, all the activities and responsibilities identified below, acknowledging that this does not constitute an exhaustive list of the duties, which can increase due to the very nature of the work:

5.1 SERVICES RELATED TO FEMA'S SOW

5.1.1 The provided SOW serves as fundamental base for the development of a final detailed SOW. This final detailed SOW is required for submission to FEMA as part of the schematic design phase, for the purpose of Scope of Work Alignment. The UPR will provide specifications and standards for roof design. The awarded proponent will be responsible for the design following such specifications and standards, and for preparing cost estimates for the mentioned SOW and any additional SOW as required by UPR for compliance with all internal and FEMA procedures. In addition, the awarded proponent shall perform technical assessments of existing roof conditions, including but not limited to infrared photography; uplift test; cores; materials; roof elements, including equipment, and existing roof perforations to be included as part of the as built. These plans and other documents will comply with the above requirements and must be submitted to the UPR for consideration and approval.

5.1.2 The Awarded Proponent is responsible for verifying the SOW, Method of Repair (MOR), Bipartisan Budget Act of 2018, Pub. L. No. 115-123, § 20601, 132 Stat. 64 (2018) approved work included in this document. The Campus Liaison will coordinate the visit as soon as possible.

5.1.3 The Project shall comply with FEMA's requirements for Category E – Permanent Work as stated in the Public Assistance Program and Policy Guide FP104-009-2/April 2018 and Puerto Rico's construction laws, regulations, and codes.

5.1.4 The Awarded Proponent is responsible for notifying the UPR's representative in case of any change that may affect the primary SOW.

5.1.5 As part of the design and supervision services to be provided, the Awarded Proponent will serve as a consultant in all matters related, constituting an advisory resource for the UPR in the plans, strategies, and actions referred and/or requested by the President or his authorized representative, COR3 or FEMA, and will be available to complete said requests and attend the meetings that the UPR deems necessary.

5.1.6 The Awarded Proponent will evaluate the 406 Hazard Mitigation proposed by FEMA and determine if it's viable or if there are better proposal measures to provide Hazard Mitigation to the facility. In case of a change, the awarded proponent, in coordination with the UPR's representative, will prepare a Hazard Mitigation proposal for submission to FEMA for its corresponding approval.

5.1.7 The Awarded Proponent will work as a representative of the UPR during the development of the Project. The personnel designated by the Awarded Proponent to oversee the project must be authorized and licensed to exercise the professions of engineering and/or architecture in Puerto Rico and must be a bona fide member of the Professional College of Engineers and Land Surveyors of Puerto Rico or the Architects and Landscape Architects Association of Puerto Rico with the corresponding membership fee payment up to date.

- Please refer to **Appendix F** for a complete FEMA's SOW.

6. COST PROPOSAL

The proposal **must be submitted only in the Table Form** stated in **Appendix D**.

Note: Do not modify the template in Appendix D. All spaces are required and must be filled. If any space does not apply you should put (N/A) or other information. This

is a substantial requirement, do not leave any blank spaces, for it could be cause for disqualification.

7. REQUIRED DOCUMENTS FOR THE SUBMISSION OF THE PROPOSAL

General Instructions

The evaluation and selection of a proposal will be based on the information submitted as required in this RFP. Additional information may be required upon interviews, if conducted. Proposers should respond clearly and completely to all requirements. Failure to respond to each of the requirements in the RFP may be the basis for rejecting a proposal. The proponent must carefully examine the RFP documents. **The submission of a proposal by a proponent will be considered evidence that it has read, understands, and accepts these requirements.**

The proponent must understand that any study or information presented is provided in good faith, with the purpose of offering access to the same information that the UPR obtained. Said information or studies must be supplemented by personal research and interpretation to be judged by the bidders. It is the responsibility of the proponents, not the UPR, any misinterpretation of the information presented.

Elaborate proposals (e.g., expensive artwork), beyond that sufficient to present a complete and effective proposal, are not necessary or desired.

Mandatory requirements, Proposal Preparation, and Submission

Professional services of a Design and Supervision companies or individuals with current license to practice engineering or architecture in Puerto Rico are required.

Before submitting the offer, the proponent should carefully examine the RFP or proposal form provided in the RFP documents. The proponent will be responsible for any errors or omissions in the offer. Proposals will be submitted in said form and shall be initialized and signed on each page provided for it, in accordance with the following:

- a. If the proponent is an individual, the offer will be signed with the individual's name and should indicate "Individually." The individual's physical and postal address, telephone and email will be included, also proposal number and title of this RFP.
 - i. If the proponent is an individual operating under the name of a firm, the offer will be signed by the individual. The proponent will include the name of the firm under which it operates (dba). The postal and physical address, email, telephone of the firm will be included, also bid number and title of this RFP.
- b. If the proposer is a professional services corporation (P.S.C.), a limited liability company (L.L.C) or a limited liability partnership (L.L.P), its offer will be signed

by its president, secretary, or other authorized official, according to its corporate resolution in this regard. The seal of the corporation must be attached. The physical and postal address, email, telephone of the main office of the corporation will be included, also proposal number and title of this RFP.

The offer and the documents identified below will be addressed to the indicated contacts in Section 2 – CONTACT via email in digital PDF format.

Proposers responding to this RFP **must comply** with the following documents:

- Letter of Intent - (1-page limit): Identifying the name and number of the RFP, and date of submittal. The letter must be signed by an authorized representative of the organization, that states the acceptance of the Terms and Conditions of this RFP, providing the exact business name to conduct business with the UPR, and address, telephone, fax number, e-mail address and SAM Entity Identifier Number.
 - SAM registration and annual renewal is a contract requirement. Proponents in the process of registering and/or renewing their SAM can participate in this RFP, however, if SAM registration and/or renewal process is not done by the time of award, your proposal may be rejected for not meeting federal procurement requirements.
- Appendix A – Statement of the Bidder
- Appendix B – Required Federal Documents (Lobbying Certification, Non-Conflict of Interest Certification and Limited Denial of Participation Affidavit)
- Appendix D - Cost Proposal, including additional SOW fee percentage (%)
- Cost Proposal Breakdown - Provide Cost Estimate Breakdown based in SOW provided in Appendix F.
- A color copy of the engineer's or architect's professional ID (Identificación de Colegiación) and a copy of the Department of State License.
- **Copy of initialized RFP and its Appendices.**
- Appendix E – Response Checklist - Before signing and submitting the proposal for this Project, interested proponents should carefully review and fill the Appendix E – Response Checklist.

Request for Information (RFI)

An RFI or clarification shall be addressed by email to: upprecovery.rfp@upr.edu on or before the date established in this document and must reference this specific RFP (**RFP #DRO 24-004 / 01115**) in the subject line of the email. No telephone inquiries will be allowed. No further questions will be allowed after the established date. No questions will be accepted after the deadline provided in the above schedule, subject to any amendment to the same duly notified.

Any interpretations, correctios, or changes to this RFP will be made by addendum. Any changes to specifications will be made in writing and delivered to proponents that register receipt of this RFP at upprecovery.rfp@upr.edu . Proponents shall acknowledge receipt of the addenda on **Appendix D – Cost Proposal**.

8. UPR RESPONSIBILITIES

The University of Puerto Rico PR will provide for this RFP:

- All the available information considered necessary for the Project execution.

9. COMPENSATION FOR DESIGN AND SUPERVISION SERVICES AND PAYMENT METHOD

The UPR will pay **the Awarded Proponent only** for services rendered or provided to the satisfaction of the UPR. **The Awarded Proponent** will certify that it will submit invoices for services established in the contract and any other services approved in writing by the UPR.

For the performance of the DESIGN PHASE, **the Awarded Proponent** will prepare and deliver to the UPR the documents required for the phase within the time indicated in the basic itinerary agreed to between the parties. The design and bidding itinerary are based on a total of calendar days, beginning on the date of the written Notice to Proceed, and will be interrupted by the evaluation processes carried out by the UPR between each of the phases. Payments will be made after the UPR receives and approves in writing the documents required in the Design Phase, as indicated in the contract, based on a construction cost.

The Awarded Proponent must submit one (1) original and one (1) digital copy of the invoices to be certified by the President of the University of Puerto Rico or his authorized representative, in this case, the Director of the Office of Physical Infrastructure and Development at the University of Puerto Rico, Central Administration (the "ODFI"). In addition, the Designer/Supervisor will send a copy by email to the Project Coordinator appointed by ODFI. Each invoice must be delivered physically to the ODFI during the first ten (10) calendar days of the following month in which the services were rendered. During the Design Phase, the invoices must detail the services provided or the activities carried out, accompanied by the required documents, and comply with the Basic Services requirements established in this contract.

During the SUPERVISION PHASE, the **Designer/Supervisor** must submit, along with the invoice, one (1) monthly report with the summary of activities carried out during that period in accordance with the Scope of Work established in the contract. The report must include photographs that show the project progress, minutes of the meetings with the contractors, an analysis of the current status of the Project, an evaluation of the quality of the execution, and recommendations, among other documents that the **Designer/Supervisor** considers relevant or important. The report with its corresponding invoice must also be delivered on a Universal Serial Bus (USB) and sent by email to the Project Coordinator appointed by the ODFI.

Payments for rendered services will be issued according to contract and within thirty (30) calendar days, beginning on the date on which the Director of the Office of

Physical Infrastructure and Development at the University of Puerto Rico, Central Administration approves the work performed, and the invoices and documentation received meet all requirements.

10. PROPOSAL SCORING AND EVALUATION CRITERIA

Accepted proposals will be reviewed by the UPR and scored against the stated criteria. The committee may review references, request interviews/presentations, conduct interviews, demonstrations and/or conduct on-site visits. The resulting information will be used to score the proposals. The scoring will be tabulated, and the proposals ranked based on the numerical scores received.

The requested proposal will be known as **Design and Supervision Services** to be provided by established and experienced engineer's or architect's firms. The **Awarded Proponent** shall be a professional or technical team fully experienced in project designs, architectural and engineering concepts, site improvements and infrastructure strategies, building development and technology, cost estimates, administration, management, evaluation, project control (budget and schedule) accounting, technological reporting systems, construction quality control and processes. The proponent must also be well versed in Federal compliance, with a proven performance record. The UPR will only consider architectural and engineering firms with established and verifiable experience with at least two (2) years or more of experience, with projects sponsored and funded by FEMA, CDBG-DR program, and/or another Federal agency.

The UPR must comply with all applicable federal and state laws, regulations, executive orders, and policy. Consequently, the UPR will review the Proponent's Proposal to determine overall responsiveness and completeness of the Proposal with respect to the components outlined in the RFP using the following evaluation criteria:

Executive Summary – Refer to Appendix A Statement of the Bidder

- Provide a complete profile of your organization, mission, and vision statements.

Experience and strategy in providing the services (up to 30 points) – Refer to Appendix A Statement of the Bidder

- Describe the organization/company's history, experience, and capabilities as it relates to the proposed scope of work. Be specific and detail no more than three projects/contracts: description of work, dates, locations, challenges, and results. (up to 4 points)
- Indicate relevant experience in projects with FEMA grants. (up to 6 points)
- Please indicate whether you have experience working with public or federal entities, and years of experience performing like services. (up to 6 points)
- Provide specific examples of the services or tasks previously provided by the entity as considered in this RFP. (up to 8 points)
- Detail your firm's understanding of the challenges and barriers for a project like this and proposed approach to overcoming these barriers. (up to 3 points)

- Identify potential risk factors and methods for dealing with these factors. (up to 3 points)

Team qualifications (up to 25 points) – Refer to Appendix A Statement of the Bidder

- The Proponent should provide detailed information about the experience and qualifications of the Proponent's principals, project managers, key personnel, and staff to be assigned, including degrees, certifications, licenses, and years of relevant experience in terms of Federal Grants and/or FEMA and FEMA regulatory requirements. The Proponent shall specifically identify current employees who will serve as Key Personnel. This includes the Proponent's own staff and staff from any subcontractors to be used. The Proponent should demonstrate that its staff (and/or subcontractor's staff) meet the desirable requirements listed below and have necessary experience and knowledge to successfully implement and perform the tasks and services. Any subcontractors should be named, along with a description of experience and what role they will play on the Proponent's team. The proponent should describe its demonstrated capability to provide the staffing with the qualifications required in this RFP through the term of the expected contract. (up to 15 points)
- Attach resumes of personnel (or/and sub-contractors, if any) who will be providing the services. Consider the infrastructure trades specialists (engineering and/or architectural consultants) based on the trades applicable for the scope work for this project (up to 10 points)
 - Personnel/Trade specialist (Roof Water Proofing Specialist, mechanical, electrical, architectural, structural, civil and/or other qualifications per trades based on SOW.

Proponent references (5 points) – Refer to Appendix A Statement of the Bidder

- A minimum of three (3) references of the Proponent (as Prime Contractor) to which similar services have been provided within the past five years of a comparable sized institution or company, offering for each a summary of the work performed and how it relates to the scope of work under this RFP. Each reference should include a point of contact name, their title, name of the organization they represent, and their phone and e-mail information so that they may be contacted by the UPR or its designee(s). The Proponent is encouraged to provide up to two (2) references for identified subcontractors. (up to 5 points)
- If the Proponent has previous contracts with the UPR the performance directly related to those services will be taken into account as additional reference to those minimally required.

Cost Proposal Breakdown (5 points)

- Provide Cost Estimate Breakdown based in SOW provided in **Appendix F** (5 points)

Cost Proposal (25 points) – Refer to Appendix D – Cost Proposal

- Proponent with lower proposal (25 points), all other proposals receive a percentage of the point available based on their cost relationship to the lowest with the following formula: $(\text{Lowest Cost Proposal} / (\text{Cost Proposal being evaluated})) \times \text{Total Cost Proposal Points}$. The final score will be rounded to the nearest whole number.

Cost Proposal % Fee for additional SOW (5 points) – Refer to Appendix D – Cost Proposal

- Proponent with lower % of fee for additional SOW (5 points)

Preference of 5 points for Section 3 Business Concern and MWBE

The UPR will provide a preference of five (5) points in the evaluation criteria of the method of rating, for a greater participation of Section 3 Business Concern and M/WBE Registered Puerto Rico Business. The Proposer seeking the Section 3 preference must be able to demonstrate that they meet one of the following criteria:

- Percentage owned by Section 3 residents; or
- Has permanent, full time employees at least 30 percent of whom are currently Section 3 residents, or within three years of the date of first employment with the business concern were Section 3 residents; or
- Has subcontracted, or has a commitment to sub-contract, in excess of 25 percent of the total dollar award of all sub-contracts to be awarded to such businesses described above. You can locate the Section 3 or MWBE Policy document with all the related information of this topic available in English and Spanish on the PRDOH website.
 - <https://cdbg-dr.pr.gov/en/download/section-3-policy/>
 - <https://cdbg-dr.pr.gov/download/politica-sobre-seccion-3/>
 - <https://cdbg-dr.pr.gov/en/download/mwbe-policy>
 - <https://cdbg-dr.pr.gov/download/politica-mwbe/>
 - **Supporting evidence to substantiate Section 3 status can include; (i) Evidence of business ownership (e.g. Articles of Incorporation, By Laws, proof of 51% company ownership, Partnership Agreement); (ii) Evidence of employees of the business (e.g. roster of permanent full time employees, Section 3 Resident Self Certification Form for each employee who qualifies as newly hired Section Resident employee); (iii) Duly signed letter evidencing subcontracting at least 25% of the dollar amount.**
 - Proposers seeking M/WBE preference **should provide a copy of their MWBE certification to evidence their status.**

TABLE - SUMMARY OF POINTS

Description	Points
Experience and strategy in providing the services	30
Team qualifications	25
Proponent references	5
Cost Proposal Breakdown	5
Cost Proposal	25
Cost Proposal % Fee for additional SOW	5
Total	95
Section 3 Business concerns and MWBE	5
Total	100

11. FINAL EVALUATION

The UPR will review all Proposals submitted based on the proponent experience and execution of similar and complex projects. The Project will be awarded to firms that exceed the requirements of the RFP for the best value of overall services that surpass the UPR's interests and are in full compliance with FEMA and CDBG-DR procurement requirements.

The RFP may not be awarded to the Proponent who submitted the lowest price if, in the judgment of the Committees or the UPR, another Proposal offers a better value for the Government of Puerto Rico.

12. PROJECT AWARD

ODFI's Director will provide oversight on all contractual matters between the UPR and the awarded firm, including final professional services fee compensation, contract's details, and compliance.

The UPR reserves the right to reject any or all proposals and to award the bid under the conditions it deems most advantageous to the interests of the University of Puerto Rico, regardless of the amount of the offer. It also reserves the right to award the proposal to more than one proponent, cancel the RFP and/or the award of the bid at any time before the signing of the corresponding contract. The submission of a response to an RFP does not represent an agreement of any kind between the UPR and the proponent.

The UPR will award the bid in writing and will state the reasons it had for the award. The UPR has the right to cancel the process of RFP without notice at any time.

13. JUDICIAL REVIEW

Any proponent adversely affected by a decision made by the UPR in connection with the selection and award procedures provided in this RFP may submit a request for

reconsideration to the UPR in accordance with the Uniform Administrative Procedure Act, Law No. 38 of June 30, 2017, as amended, within ten (10) days from the award notification date to the following email uprrecovery.rfp@upr.edu.

A request for reconsideration, as well as any other petition for review, must be in writing and clearly identify the name and address of the requesting party, contain a detailed and accurate statement of the grounds for the request, including copies of all relevant documents, and specify the relief requested. A request for reconsideration or other petition for review that fails to comply with the time limits or procedures stated above or otherwise provided in this section may be dismissed or denied without further consideration. If the UPR fails to act on the motion for reconsideration within ten (10) business days of the filing thereof, it shall be understood that the motion was denied outright and the term for judicial review shall begin to elapse from said date.

If the UPR accepts the reconsideration request within the term provided for it, it must issue the reconsideration resolution within thirty (30) days following the filing of the motion for reconsideration. If the UPR accepts the reconsideration request but doesn't take any action in relation to the motion within thirty (30) days of being filed, it will lose jurisdiction over it and the term to request judicial review will begin from the expiration of said term of thirty (30) days. The UPR may extend said term only once, before it ends, for an additional term of fifteen (15) days.

Judicial Review. The proponent adversely affected by the UPR's final decision on reconsideration may file a petition for judicial review in accordance with the Uniform Administrative Procedure Act, Law No. 38 of June 30, 2017, as amended, before the Court of Appeals, within a term of twenty (20) days from the date a copy of the notice of the final resolution or order was filed in the record of the UPR or from the term of twenty (20) days from the expiration of the thirty (30) day period within which the UPR must act upon the request for reconsideration or from the time extended by the agency, if applicable. The party shall notify the UPR and all other parties of the filing of the petition for review within the term established to request such review. The notice may be served by mail. Provided, that if the date on which the copy of the notice of adjudication is filed in the records of the agency differs from the mailing date of said notice, the term shall be calculated from the mailing date.

14. BLACKOUT PERIOD

14.1. Definition of Blackout Period

The blackout period is a specified period during a competitive procurement process in which any Proponent, bidder, or its agent or representative, is prohibited from communicating with any UPR's employee or UPR's contractor involved in any step in the procurement process about the solicitation. The blackout period applies not only to UPR employees, but also to any current contractor of the UPR. "Involvement" in the procurement process includes but may not be limited to project management, design, development, implementation, procurement management, development of

specifications, and evaluation of proposals for a particular procurement.

This solicitation designates the contact person (RFP Coordinator) and all communications to and from potential Contractors and/or their representatives during the blackout period must be in accordance with this RFP's defined method of communication with the RFP Coordinator. The blackout period begins on the date that the UPR first issued the publication of this RFP and will end when the 20 days of request for judicial review have passed.

In the event a prospective Contractor may also be a current UPR contractor, UPR employees and the prospective Proponent may contact each other with respect to their existing contract and duties only. Under no circumstances UPR employees or current contractors may discuss this RFP or corresponding procurement process or status. Any bidder, Proponent, or UPR contractor who violates the blackout period may be excluded from the awarding contract and/or may be liable to the UPR in damages and/or subject to any other remedy allowed under law, including but not limited to a ban in participating in any procurements issued by or for the UPR, or any entity of the Government of Puerto Rico, for a period of ten (10) years, if it is determined that such action results in violation of the Anticorruption Code, Puerto Rico Act 2-2018.

14.2. Other Prohibited Communications

Communications with other representatives of the Government of Puerto Rico or relevant entities of Federal Government regarding any matter related to the contents of this RFP are prohibited during the submission and selection processes. Failure to comply with these communications restrictions will result in rejection of the Proponent's proposal.

15. UPR DISCLAIMERS

By submitting a Proposal, the Proponent, on behalf of themselves and their Partners/Subconsultants acknowledges and agrees that:

15.1. Equal Employment Opportunity and Non-Discrimination

15.1.1. The awarded proponent and authorized subcontractors must comply with the Executive Order 11246 titled "Equal Employment Opportunity", as amended by Executive Order 11375, and as supplemented in Department of Labor regulations (41CFR Part 60). In addition, the awarded proponent will not discriminate on account of sex, gender, gender identity, sexual orientation, age, race, color, national origin or social condition, physical or mental impairment, political or religious beliefs, marital status, for being a victim or being perceived as a victim of domestic violence, physical or mental handicap or veteran status in any employment, contracting or subcontracting practices called for by this contract.

15.2. Conflict of Interest

- 15.2.1. No employee, officer, or agent may participate in the selection, award, or administration of a contract supported by a federal award if he or she has a real or apparent conflict of interest. The purpose of this prohibition is to ensure, at a minimum, that employees involved in the award and administration of contracts are free of undisclosed personal or organizational conflicts of interest—both in fact and appearance (2 C.F.R. § 200.318(c)(2).
- 15.2.2. The Proponent shall notify the UPR as soon as possible if this contract or any aspect related to the anticipated work under this contract raises an actual or potential conflict of interest (as defined at 2 C.F.R. Part 215 and 24 C.F.R. § 85.36 (2013) (or 84.42 (2013), if applicable). The Proponent shall explain the actual or potential conflict in writing in sufficient detail so that the UPR can assess it.
- 15.2.3. In the event of real or apparent conflicts of interest, the UPR reserves the right, in its best interest and at its sole discretion, to reject a proposal(s) outright or to impose additional conditions upon Proponents. The Proponent shall accept any reasonable conflict mitigation strategy employed by the UPR, including but not limited to the use of an independent subcontractor(s) to perform the portion of work that gives rise to the actual or potential conflict. The UPR reserves the right to cancel any contract awarded pursuant to this RFP with 30 days' notice if an actual conflict of interest, or the appearance of such conflict, is not cured to UPR's satisfaction.
- 15.2.3.1. A real conflict of interest arises when an employee, officer, any member of his or her immediate family, his or her partner, or an organization which employs or is about to employ any of the aforementioned individuals, has a financial or other interest or a tangible personal benefit from a firm considered for a contract.
- 15.2.3.2. An apparent conflict of interest is an existing situation or relationship that creates the appearance that an employee, officer, or agent, any member of his or her immediate family, his or her partner, or an organization which employs or is about to employ any of the parties indicated herein, has a financial or other interest in or a tangible personal benefit from a firm considered for a contract.
- 15.2.3.3. Although the term "financial interest" is not defined or otherwise described in the Uniform Rules, a financial interest can be considered to be the potential for gain or loss to the employee, officer, or agent, any member of his or her immediate family, his or her partner, or an organization which employs or is about to employ any of these parties as a result of the particular procurement. The prohibited financial interest may arise from:
- 15.2.3.3.1. Ownership of certain financial instruments or investments like stock, bonds, or real Estate.
- 15.2.3.3.2. A salary, indebtedness, job offer, or similar interest that might be affected by the procurement.

15.3. Proponent's Error and Omissions

15.3.1. The UPR reserves the right to reject a submission that contains an error or omission. The UPR also reserves the right to request correction of any errors or omissions and/or to request any clarification or additional information from any Proponent, without opening clarifications for all Proponents. Proponents will be provided a reasonable period in which to submit written responses to UPR's requests for clarification or additional information. Proponents shall respond by the deadline stated in the correspondence.

15.4. Proponent's Expenses

15.4.1. Proponents are solely responsible for their own expenses in preparing a Proposal and for subsequent negotiations with the UPR, if any. The UPR will not be liable to any Respondent for any claims, costs, or damages incurred by the Proponent in preparing the Proposal, loss of anticipated profit in connection with any final Agreement, or any other matter whatsoever.

15.5. Selection of proposal in best interest of the UPR

15.5.1. Notwithstanding the selection criteria set forth in the RFP, if determined by the UPR to be in its best interest, the UPR reserves the right to request further information, negotiation, and select a Proposal(s) that, in its sole judgment, is consistent with, and responsive to the goals of its recovery plan, irrespective of whether it is the apparent lowest-priced Proposal.

15.6. Number of Awards

15.6.1. At the sole discretion of the UPR and based upon the breadth and experience of Proponent to this RFP, or other factors considered in its best interests, the UPR may award contracts to more than one proponent and award any vendor one or more steps or task orders per contract. In such case, proponents acknowledge and accept that UPR reserves the right, in its absolute discretion, to further negotiate the terms and conditions of their Proposals and to withdraw an award(s) if an agreement acceptable to the UPR is not reached, notwithstanding the Proponents' submission of Best and Final Offers ("BAFOs").

15.7. Withdrawal Proposals

15.7.1. A proponent may withdraw a Proposal at any time up to the date and time that the contract is awarded. The withdrawal must be submitted in writing to the RFP Coordinator. Absent a full withdrawal, Proponent must certify in the transmittal letter that its Proposal, including the submitted cost proposal and pricing, will be valid for one hundred twenty (120) days from UPR's receipt.

15.8. SAM Registration

15.8.1. SAM registration and annual renewal is a contract requirement. Proponents in the process of registering and/or renewing their SAM can participate in this

RFP, however, if SAM registration and/or renewal process is not done by the time of award, your proposal may be rejected for not meeting federal procurement requirements.

15.9. Contract Negotiations/No obligation to Contract/Rejection of Proposals/Cancellation of RFP

15.9.1. The selection of any proposal for contract negotiation shall not imply acceptance by the UPR of all terms of the proposal, which may be subject to further negotiation and approvals before the UPR may be legally bound thereby.

15.9.2. Issuance of this RFP does not constitute a commitment by the UPR to award a contract. None of the participants in this RFP process have any acquired proprietary rights. The execution of a contract will be subject to government contracting process, all approvals required by law, including the FOMB if applicable. The UPR will not have any binding obligation, duties, or commitments to the Selected Proponent(s) until and unless a contract has been duly executed and delivered by the UPR after approval by the President. If the UPR is unable to negotiate a mutually satisfactory agreement with the Selected Proponent(s), it may, in its sole discretion, negotiate with the next highest-ranked Proponent(s) or cancel and reissue a new RFP. The UPR reserves the right to accept or reject, in whole or in part, all Proposals submitted and/or cancel this RFP and/or reissue this RFP or another version of it, at any time prior to the execution of a contract, if it determines, in its absolute discretion, that doing so is in its best interests. If any or all proposals are rejected, the UPR reserves the right to re-solicit proposals.

15.9.3. There is no guarantee of a minimal amount of work or compensation for any of the selected proponent selected for contract negotiations.

15.10. Ownership of Proposals

15.10.1. All documents, including Proposals submitted to the UPR, become the property of the UPR. Selection or rejection of a Proposal does not affect this provision.

15.11. Confidentiality of Proposals

15.11.1. The UPR shall have no obligation to treat any information submitted in connection with a Proposal as proprietary or confidential unless (i) the Proponent so identifies such information in its Proposal as proprietary or confidential, and (ii) the UPR determines that the information is proprietary or a trade secret and legitimately requires such treatment or that it must otherwise be protected from publication according to law. The UPR obligations with respect to protection and disclosure of such information shall always be subject to applicable law. If the Proponent desires to identify any information in its Proposal as proprietary or confidential, it shall limit such designation to only those particular portions of the Proposal that actually

constitute proprietary information, trade secrets, or other confidential matters or data. Identification of the entire Proposal or entire sections of the Proposal or other overly broad designations as confidential or proprietary are strongly discouraged and may result in the Proposal being deemed unresponsive. The UPR shall have the right to use all portions of the Proposal, other than those portions identified and marked as confidential or proprietary, as it considers necessary or desirable in connection with this RFP; and, by the submission of the Proposal, the Proponent thereby grants to the UPR an unrestricted license to use such unrestricted portions of the Proposal.

15.12. Collection and Use of Personal Information

15.12.1. Proponents are solely responsible for familiarizing themselves and ensuring that they comply with the laws applicable to the collection and dissemination of information, including résumés and other personal information concerning employees and employees of any subcontractors. If this RFP requires Respondents to provide the UPR with personal information of employees who have been included as resources in Proposal to this RFP, Proponents will ensure that they have obtained written consent from each of those employees before forwarding such personal information to the UPR. Such written consents are to specify that the personal information may be forwarded to the UPR for the purposes of responding to this RFP and use by the UPR for the purposes set out in the RFP. The UPR may, at any time, request the original consents or copies of the original consents from Respondents, and upon such request being made, Respondents will immediately supply such originals or copies to the UPR.

15.13. RFP and Proposal as Part of Agreement

15.13.1. This RFP, as well as any related solicitation documents such as Addenda and Questions & Answers, and the selected Proponent's Proposal will become part of any contract between the UPR and the Respondent. If the terms of the RFP and related documents or Proposal conflict with the contract, the contract terms shall control.

15.14. Non-Assignment

15.14.1. The successful proponent obligation under the contract shall not be assigned or transferred to any other person, firm, or corporation without the prior written consent of the UPR.

15.15. Causes for Disqualification

15.15.1. Failure to submit the proposal on or before the date and time deadline indicated in this RFP.

15.15.2. Failure to submit a fully completed proposal may be deemed nonresponsive.

15.15.3. Failure to submit appendix, form, certification, or required document may be ground for disqualification.

15.15.4. Any unauthorized ex-parte communication with UPR officials, employees, consultants or advisers, or any other unauthorized person, regarding this Project may be grounds for disqualification.

15.16. No Bid

15.16.1. Proponents, that for any circumstances decide not to participate in this RFP process, must notify the UPR by email the intention to not submit.

15.17. Sub-Contracts or Consultants of the Awarded Proponent

15.17.1. All federal and state law and regulations requirements apply to sub-contractors. The awarded proponent shall require all subcontractors to flow down the PRDOH's Conditions, as well as termination for convenience of the PRDOH, to all subcontractors as well as the requirement to flow down such terms to all lower-tiered subcontractors. These Conditions include required terms for project contracts, HUD General Provisions, Participation by Minority Group Members and Women Requirements and Procedures for Contracts with Housing Trust Fund Corporation, Standard Clauses for Contracts with the PRDOH, and required diversity forms. The UPR reserves the right to request the removal of any personnel, consultant, or employee from the project at any time or reason it deems appropriate.

16. REQUIRED DOCUMENTS FOR THE SIGNING OF THE CONTRACT

In addition to the above requirements, it is required that **before** the signing of the contract, the **successful proponent** provides all the documents listed below within **ten (10) calendar days** of selection. **These documents are essential requirements, the UPR reserves the right to cancel the award and/or RFP if the awarded proponent does not comply with the aforementioned term to submit documents:**

- ☐ 1. Certificate of Ethics (will be provided)
- ☐ 2. Authorization Form for Electronic Payment (will be provided)
- ☐ 3. Provide a Unique Entity Identifier (UEI) number; be registered and active in the System for Award Management SAM.GOV.
- ☐ 4. Section 3 Plan - [Click on link](#)
- ☐ 5. MWBE Utilization Plan - [Click on link](#)
- ☐ 6. Policies and Insurances – See **Appendix C**
- ☐ 7. Government ID, a color copy of the engineer's or architect's professional ID (*identificación de colegiación*) and a copy of the Department of State License to practice the profession.
- ☐ 8. Legal Entity Certification - Circular Letter No. 013-2021 of the Management and Budget Office (OGP). (Will be provided)
- ☐ 9. Eligibility Certification of the Unique Registry of Professional Service Providers (RUP) from the General Services Administration (ASG) may be accepted. If proponent doesn't have a valid RUP, **provide** the following documents:

- ☐ Certificate of Good Standing from the State Department.
- ☐ Department of State Certificate of Incorporation.
- ☐ Corporate Resolution with Corporate's Seal authorizing Corporation's representative to sign the contract.
- ☐ Debt Certification issued by Department of the Treasury, Form SC 6096, Rev. 24-Feb-2020. In case of debt, submit official Department of Treasury document which certifies that you are under a payment plan that is being fully complied with.
- ☐ Certification of Filing of Income Tax Forms for the last five (5) years issued by the Department of Finance. Form SC 6088, Rev. 24-Feb-2020 (If there is no information because the Corporation has recently been incorporated, you must include an affidavit expressing such a situation.)
- ☐ If the filing certification of payrolls does not register the filing corresponding to the year 2022, present a punched copy by the Treasury of the first sheet of the filed return.
- ☐ Certificate of No Debt of the Municipal Revenue Collection Center (CRIM) for all concepts.
- ☐ If there is debt, you must submit an official CRIM document evidencing a payment plan. If the Cert. of Filing of Movable Property Forms is negative, an Affidavit is required.
- ☐ Certificate of No Debt of the CRIM of Real Estate of the Corporation. If there is debt, you must submit an official CRIM document evidence of a payment plan that is being fully complied with.
- ☐ Certification of Insurance for Unemployment, Temporary Disability, issued by the Department of Labor and Human Resources.
- ☐ Social Security Certification for Drivers, issued by the Department of Labor and Human Resources.
- ☐ Negative certification from ASUME that the Corporation does not owe payments to ASUME, from which it has withheld its employees, or negative certification ordering withholding.
- ☐ Merchant Registration Certification (IVU) Filing of Monthly Forms of IVU – Model SC 2942 A.
- ☐ Municipal Patent Certification.
- ☐ Affidavit – Law 2, January 4, 2018.

END OF DOCUMENT

17. APPENDIX A

STATEMENT OF THE BIDDER

**UNIVERSITY OF PUERTO RICO BOARD OF AWARD STATEMENT OF THE BIDDER FOR
CONTRACTORS**

BUSINESS AND TECHNICAL ORGANIZATION.

Bidder may use additional space to complete required information.

I. PERMANENT PLACE OF BUSINESS

A. Name of Bidder: _____

B. Mailing Address: _____

C. City and Zip Code: _____

D. Physical Address: _____

E. City and Zip Code: _____

F. Telephone No: _____

G. E-Mail: _____

II. PROPOSER REFERENCES - LIST BELOW SIMILAR CONTRACTS EXECUTED.

Proposer must supply references of minimum three firms to which similar services have been provided within the past five years of a comparable sized institution or company.

No.	Client Name, Contact Person and telephone	Location	Type of Work (Description of the services provided, include any similar services to the herein required)	Contract Amount	Completion Date	Funding Resource (private, state, or federal)
1						
2						
3						
4						
5						

III. LIST BELOW CONTRACTS IN HAND

No.	Name Contact Person and Telephone	Type of Work	Contract Price	% Completed
1				
2				
3				
4				
5				

IV. EXECUTIVE SUMMARY

Provide a profile of your organization, mission, and vision statements and organizational chart.

V. EXPERIENCE DESCRIPTION AND STRATEGY IN PROVIDING THE SERVICES

VI. TEAM QUALIFICATIONS - The Proponent should provide detailed information about the experience and qualifications of the Proponent's principals, project managers, key personnel, and staff to be assigned, including degrees, certifications, licenses, and years of relevant experience in terms of Federal Grants and/or FEMA and FEMA regulatory requirements. The Proponent shall specifically identify current employees who will serve as Key Personnel. This includes the Proponent's own staff and staff from any subcontractors to be used. The Proponent should demonstrate that its staff (and/or subcontractor's staff) meet the desirable requirements listed below and have necessary experience and knowledge to successfully implement and perform the tasks and services. Any subcontractors should be named, along with a description

of experience and what role they will play on the Proponent's team. The proponent should describe its demonstrated capability to provide the staffing with the qualifications required in this RFP through the term of the expected contract. Attach resumes of personnel (or/and sub-contractors, if any) who will be providing the services. Consider the infrastructure trades specialists (engineering and/or architectural consultants) based on the trades applicable for the scope work for this project. Personnel/Trade specialist (Roof Water Proofing Specialist, mechanical, electrical, architectural, structural, civil and/or other qualifications per trades based on SOW.

I, _____ of _____ certified that the
(Representative's Name) (Name of Organization)
answer to this foregoing questions and all statement therein contained are true and
correct.

Authorized representative signature

Date

Initials _____

18. **APPENDIX B**

REQUIRED FEDERAL DOCUMENTS

In compliance with federal regulations, **all bidders** must submit the following documents with their tender documents:

1. Lobbying Certification (Use attached model below)
2. Non-Conflict of Interest Certification on Existing or Pending Contracts. (Use attached model below)
3. Limited Denial of Participation (LDP)/Suspension or Debarment Status Affidavit. (Use attached model below)

A bidder who omits any of the required documents may be disqualified.



1. LOBBYING CERTIFICATION RFP #DRO 24-004 / 01115

Certification for Contracts, Grants, Loans, and Cooperative Agreements

The undersigned certifies, to the best of his or her knowledge and belief, that:

- (1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form LLL, "Disclosure of Lobbying Activities," in accordance with its instructions.
- (3) The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by Section 1352, Title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$11,000 and not more than \$110,000 for each such failure.

Please check appropriate box:

- ☐ No nonfederal funds have been used or are planned to be used for lobbying in connection with this application/award/contract.
- or
- ☐ Attached is Standard Form LLL, "Disclosure of Lobbying Activities," which describes the use (past or planned) of nonfederal funds for lobbying in connection with this application/award/contract.

Executed this ____ day of _____, 20____

by _____
(Type or Print Name)

(Title of Executing Official)

(Signature of Executing Official)

(Name of organization/applicant)

Initials _____



2. NON-CONFLICT OF INTEREST
CERTIFICATION ON EXISTING OR PENDING CONTRACTS
Request for Proposal (RFP)
Design and Supervision Services
Community Development Block Grant – Disaster Recovery
Universidad de Puerto Rico
RFP #DRO 24-004 / 01115

I, _____, of legal age, of marital status (married/single), and a resident of _____, have been designated as the authorized representative of _____ ("the Proposer") for the **Design and Supervision Services / RFP #DRO 24-004 / 01115** procurement process ("Procurement Process"). In such regard, I hereby certify that:

1. There are no relevant facts or circumstances that could give rise to an organizational or personal conflict of interest for the Proposer or its staff with respect to the Procurement Process with the Procuring Entity. Nonetheless, the Proposer recognizes that situations may arise that may appear to be, or are, conflicts -or potential conflicts- of interest. The term "potential conflict" means reasonably foreseeable conflict of interest.
2. The Proposer will disclose to the Procuring Entity any relevant information of an apparent, potential, or actual conflict of interest that may appear to exist regardless of their opinion that such information would not impair their objectivity.
3. As per 2 C.F.R. § 200.318(c)(1), a conflict of interest would arise when "the employee, officer, or agent, any member of his or her immediate family, his or her partner, or an organization which employs or is about to employ any of the parties indicated herein, has a financial or other interest in or a tangible personal benefit from a firm considered for a contract". Therefore, I understand that conflicts of interests may arise in, but not limited to, the following situations:
 - a) **Unequal access to information.** A potential contractor, subcontractor, employee, or consultant has access to non-public information through its performance on a government contract for disaster recovery services in Puerto Rico.
 - b) **Biased ground rules.** A potential contractor, subcontractor, employee, or consultant has worked with a government contract or program with the basic structure or ground rules of another government contract for disaster recovery services in Puerto Rico.
 - c) **Impaired objectivity.** A potential contractor, subcontractor, employee, or consultant, or member of their immediate family (spouse, parent, or child) has financial interests, or others, that would impair, or give the appearance of impairing, impartial judgment in

Initials _____

the evaluation of government programs in offering advice or recommendations to the government, or in providing technical assistance or other services to recipients of Federal funds as part of its contractual responsibility.

4. In the case in which the Proposer discloses to the Procuring Entity an apparent, potential, or actual conflict of interest, the Procuring Entity will take the appropriate measures to address the disclosure by taking the following actions, which include but are not limited to, eliminating, mitigating or neutralizing the apparent, potential or actual conflict, when appropriate, through such means as ensuring a balance of views, disclosure with the appropriate disclaimers, or by restricting or modifying the work to be performed to avoid or reduce the apparent, potential, or actual conflict.
5. If an apparent, potential, or actual conflict of interest is discovered by the Proposer after the Procurement Process concludes, it will make a full disclosure in writing to the contracting officer. This disclosure shall include a description of actions that the Proposer has taken or proposes to take to avoid, mitigate, or neutralize the apparent, potential, or actual conflict of interest.
6. The Proposer has no present or currently planned interests (financial, contractual, organizational, or otherwise) relating to the contract or task order that may result from this Procurement Process that would create any apparent, actual, or potential conflict of interest (including conflicts of interest for immediate family members: spouses, parents, children) that would impinge on its ability to render impartial, technically sound, and objective assistance or advice or result in it being given an unfair competitive advantage.
7. The Proposer has exercised, and will continue to exercise, due diligence in avoiding, identifying, removing or mitigating any apparent, potential or actual conflicts of interests to the Procuring Entity's satisfaction.

Signature of Proposer's Authorized Representative

Date

Printed Name of Proposer's Authorized Representative

Initials _____



**3. LIMITED DENIAL OF PARTICIPATION (LDP)/SUSPENSION OR DEBARMENT STATUS
AFFIDAVIT
Request for Proposal (RFP)
Design and Supervision Services
Community Development Block Grant – Disaster Recovery
Universidad de Puerto Rico
RFP #DRO 24-004 / 01115**

By signing this Certification, the Proposer certifies that the firm, business, or person submitting the Statement of Qualifications, Proposal, Bid, or Quote has not been LDP, suspended, debarred or otherwise lawfully precluded from participating in any public procurement activity with any Federal, State or local government. Signing this Certification without disclosing all pertinent information about a debarment or suspension shall result in rejection of the proposal or cancellation of a contract. The **University of Puerto Rico** also may exercise any other remedy available by law.

In _____, ____ this ____ day of _____ of 20____.

(Name of Entity)

(Authorized Representative)

(Printed Name of Authorized)

(Position)

Affidavit No. _____

Subscribed and sworn to before me in the city of _____, _____, this
_____ day of _____, 20____, by _____ of legal
age, _____ (civil status), _____ (occupation) and
resident of _____, _____, in his/her capacity as
_____ of Proposer, who I personally known or have
identified by his/her _____.

Public Notary

Initials _____

19. APPENDIX C

POLICIES AND INSURANCE

Required Insurance for the project

RFP #DRO 24-004 / 01115

Las cubiertas requeridas deben ser endosadas a favor de la Universidad de Puerto Rico.

- (--) Bid Bond (5% de lo cotizado)
- (--) Performance & Payment Bond (100% de lo cotizado)
- (X) Workmen's Compensation (Corp. del Fondo del Seguro del Estado)
- (X) Commercial General Liability (C.G.L.), including Employers Liability & Products Liability
Limits – Combined Single Limit of \$1,000,000
Including the following endorsements:
 - (X) Hold Harmless Agreement
 - (X) Additional Insured
 - (X) Thirty (30) days cancellation notice
 - (X) Waiver of Subrogation
- (X) Auto
Limits – Combined Single Limit of \$500,000
- (--) Owners & Contractors Protective Liability (in the name of the University of Puerto Rico – same limits as C.G.L.)
- (--) Installation &/or Transportation Floater (if needed)
- (--) Builder's Risk
- (--) Pollution
- (X) Errors & Omissions / Professional Liability – Limits \$1,000,000

Para todo proyecto cuyo financiamiento considere fondos CDBG-DR, los endosos deberán incluir a las siguientes entidades:

Puerto Rico Department of Housing PO Box 21365 San Juan, PR 00928-1365	Gobierno de Puerto Rico PO Box 9020082 San Juan, PR 00902-0082	US Department of Housing and Urban Development (HUD) 451 7 th Street S.W Washington, DC 20410
--	--	---

20. APPENDIX D

COST PROPOSAL

COST PROPOSAL

**RE: Reconditioning of UPR Humacao Facilities, NH Group 01,
University of Puerto Rico
RFP #DRO 24-004 / 01115**

***WORKS TO BE SUBJECT OF FEDERAL FUNDS REIMBURSEMENT**

Note: Do not modify this Cost Proposal Template. Fill all the required spaces. If any space does not apply you should put (N/A) or other information. Do not leave any blank spaces.

COST PROPOSAL			
Group: #01115 – UPR Humacao (UPR Humacao Edificio 032 - Oficina de Recibo y Entregas; UPR Humacao Edificio 016 – Cuido Diurno; UPR Humacao Edificio 015 – Terapia; UPR Humacao Edificio 012 – Edificio Ciencias Administrativas)			
Estimated Construction Cost for the proposed development: \$_____ (required)			
Professional design and supervision fees have been computed based on the estimated construction cost mention above:			
PHASE	TIME (Calendar Days)	FEE	% FEE for Additional SOW
Schematic design	____ days	\$	N/A
Preliminary design	____ days	\$	N/A
Construction Documents	____ days	\$	N/A
Bidding and Negotiation	N/A	\$	N/A
Design Subtotal:	N/A	\$	N/A
Supervision:	____ months x \$____ monthly	\$	N/A
Permit Management: (Including lead and asbestos remediation permits and/or certificates in buildings prior to 1990.)	N/A	\$	N/A
Additional Services (Additional services cost breakdown fees are final.)			
•	\$		
•	\$		

Initials _____

•	\$
•	\$
Additional Services subtotal:	\$
Reimbursable Expenses:	
For fees, stamps, and filing costs related to endorsements and permits from permit regulatory offices.	\$
Total Design, Supervision, Permit Management, Additional Services and Reimbursable expenses. Write the total amount in words and numbers.	Additional SOW Fee % (Design subtotal + Supervision) / Estimated Cost

For Additional Services and/or Reimbursable Expenses, the UPR reserves the right to adjust these amounts as their convenience.

Fees for additional professional services will be calculated using the % Fee design for services (Design subtotal + Supervision) / Estimated Cost included on the right column of Cost Proposal table above and/or hours-based rate described below.

Fees for Professional Services	
	Fee per hour

The proponent acknowledges the receipt of the following **addenda** and, unless otherwise specified, accepts that changes required in these Addenda are included in the Proposal:

Addendum No. 1– Description: _____

Date _____

Addendum No. 2– Description: _____

Date _____

Addendum No. 3– Description: _____

Initials _____

Date _____

☐ No Addendum was received in connection with this RFP. If no Addenda is received, check the box.

The bidder understands that the Owner reserves the right to reject any or all bids and to waive any informality in the bidding.

Dated: _____ day of _____ 20____.

Firm Name:	
Signed by:	_____ (Sign it in ink)
Name:	
Title:	
Mail Address:	
Physical Address:	
Phone Number:	
Fax Number:	
E-mail:	

Seal (if Bidder is a Corporation)

Initials _____

21. APPENDIX E

RESPONSE CHECKLIST

Response Checklist

Note: Before submitting the proposal to this RFP, please review the following:

- ☐ Did you include a Letter of Intent identifying the name and number of the RFP, date of submittal, signed by an authorized representative of the organization, that states the acceptance of the Terms and Conditions of this RFP, providing the exact business name to conduct business with the UPR, and address, telephone, fax number, e-mail address and SAM Entity Identifier Number?
- ☐ Do you have an **Active** Registration on SAM.gov?
- ☐ Did you complete and sign Appendix A - Statement of the Bidder?
- ☐ Did you fully complete Part 1 through 6 in the Statement of the Bidder, Appendix A?
- ☐ Did you attach the resumes of all firm personnel teamwork (or/and sub-contractors, specialized trades consultants, if any) who will be providing the services?
- ☐ Did you fully complete and include the additional SOW Fee Percentage (%) in Appendix D – Cost Proposal?
- ☐ If any space does not apply in Appendix D – Cost Proposal, did you put (N/A) or other information?
- ☐ Did you acknowledge the Addendums in Appendix D – Cost Proposal, if applicable?
- ☐ Did you **sign** and **seal** Appendix D – Cost Proposal following the instruction in Section 7 - REQUIRED DOCUMENTS FOR THE SUBMISSION OF THE PROPOSAL?
- ☐ Did you include a Cost Estimate Breakdown based on SOW provided in Appendix F – Scope of Work?
- ☐ Did you complete and include the required Federal Documents in Appendix B (Lobbying Certification, Non-Conflict of Interest Certification and Limited Denial of Participation Affidavit)?
- ☐ Did you include a color copy of the engineer's or architect's professional ID (Identificación de Colegiación) and a copy of the Department of State License?
- ☐ Did you include a copy of initialized RFP and its Appendices?
- ☐ Before signing and submitting the proposal for this Project, did you carefully review the Appendix E – Response Checklist?

Initials _____

22. APPENDIX F

SCOPE OF WORK

I. GENERAL DATA OF THE PROJECT:

Campus: UPR Humacao

PW # 1115:

DI: 252505	Building 012 - Edificio Ciencias Administrativas
DI: 252520	Building 015 - Edificio Terapia Física
DI: 252521	Building 016 - Cuido Diurno
DI: 252551	Building 032 - Oficina de Recibo y Entregas

II. CAMPUS LOCATION PLAN:



III. GENERAL DESCRIPTION:

a. Building 012: Edificio Ciencias Administrativas

Two stories cast in place concrete structure. Exterior walls are 10 ft height to the overhang with a 3 FT soffit and 4 FT fascia on each floor. Roofing is a 2-ply built-up membrane. On the roof, there is one shed roof sloped at approx. 40 degrees. It has skylight windows mounted on one of its sides. The building envelope has aluminum framed single pane windows in the perimeter. Aluminum framed double doors with single pane glass are on the East and West sides. Interior partitions vary between masonry (CMU) and metal or wood studs covered with drywall; acoustic ceiling tiles including drop in lights and VCT and terrazzo flooring in some areas. **GPS Latitude/Longitude:** 18.14783, -65.83918

b. Building 015: Edificio Terapia Física

The facility comprises two single stories, 14 FT tall reinforced concrete structures joined by a reinforced concrete rectangular covered corridor of 1570 SF (11 FT x 142 FT). One area is for laboratories (18.14857, -65.83943) and the other is for classrooms (18.14837, -65.83941). The laboratories' area has a footprint of approximately 6,800 SF. The classroom's area has a footprint of approximately 5,566 SF. The roofing system is concrete slab overlaid by a bituminous built-up roof with cap sheet with 3-foot-tall concrete fascia walls. The interior includes reinforced CMU wall and drywall partitions. Interior finishes generally consist of suspended acoustic ceiling, plastered and painted walls and ceramic tile flooring. **GPS Latitude/Longitude:** 18.14857, -65.83943

c. Building 016: Cuido Diurno

41 FT x 100 FT structure. Metal ribbed panel roof over concrete beams and columns with CMU infill walls and partitions. Interior finishes generally consist of suspended acoustic ceiling, painted concrete, or painted cement board panels and 12 IN x 12 IN ceramic clay tile. **GPS Latitude/Longitude:** 18.14830, -65.83990

d. Building 032: Oficina de Recibo y Entregas

This building is a single story rectangular shaped structure of about 5,208 SF. The building is a pre-engineered steel frame with 8 IN Z-purlins at 5 FT OC. The roof has metal panels, 12 IN perimeter overhang with a 1:12 slope and a 12 IN tall perimeter metal fascia. Exterior infill walls between structural columns are of various components; exposed of CMU, stucco on CMU, corrugated galvanized sheet metal, stainless steel panels, plywood on tube steel framing and steel bar gates. Exterior glazing consists of mill finished aluminum frame and clear glass. Exterior aluminum shutters are jalousie style. The building floor is a reinforced slab on grade. The interior ceiling of the office is a suspended acoustic ceiling with 2 FT x 4 FT recessed lighting. Storage ceiling is an exposed structure. Interior partition Door of the offices are 1/8 IN Masonite board painted on metal studs. The interior flooring of the office is 12 IN x 12 IN vinyl tile with a 4 IN vinyl base and sealed concrete in the storage area. **GPS Latitude/Longitude:** 18.14903, -65.83726

IV. SCOPE OF WORK- FEMA:

PW1115 - BUILDING 012 Edificio Ciencias Administrativas (252505)	
{00-001} Roofing System:	
1	Exterior, Remove and replace 1 each, 350 LF of can't strip 4 IN x 4 IN treated wood.
2	Exterior, Remove and replace 1 each, 16,800 SF of roof membrane, 2-ply built up.
3	Exterior, Remove and replace 1 each, 67 SF of parapet flashing, 16 IN x 50 FT, 24 GA.
{00-002} Openings:	
1	Exterior, Remove and replace 1 each, 4,000 LF of window caulking.
2	Exterior, Remove and replace 6 each, aluminum frame windows, 3 panel, single pane glass, 3 FT x 8 FT, broken glass.
3	Interior, Second Floor Room CA-207 (24 FT x 25 FT): Remove and replace 1 each, 200 LF of rubber window seals.
{00-003} Openings:	

1	Exterior, Remove and replace 1 each, 2,000 SF of skylights, 4 FT x 8 FT fiberglass panel, aluminum framed.
{00-005} HVAC-R:	
1	Exterior, Remove and replace 2 each, 90 TON Air cooled Carrier Aqua Snap chiller 30RBA09069-C727.
2	Exterior, Remove and replace 3 each, 10 HP-175 GPM chilled water pump.
3	Exterior, Remove and replace 1 each, 2,030 CFM Supply Fan, 0.5 HP.
4	Exterior, Remove and replace 1 each, 200 LF of rigid foam pipe insulation, 2 IN.
5	Exterior, Remove and replace 1 each, 1,000 LB of welded steel framing chiller supports.
6	Interior, First Floor ADEM Professor's Offices (23 FT X 25 FT): Clean 1 each, 75 SF of HVAC insulation, R-13 batts.
7	Interior, First Floor Empresa Didactica (30 FT x 30 FT): Clean 1 each, 150 SF of HVAC insulation, R-13 batts.
8	Interior, First Floor Lobby and Hallways (12 FT X 188 FT): Clean 1 each, HVAC insulation, 1-1/2 IN thick, 1 FT x 1.5 FT, 50 LF long.
9	Interior, First Floor Oficina Técnico Laboratorio (25 FT x 38 FT): Clean 1 each, 75 SF of HVAC insulation, R-13 batts.
10	Interior, First Floor Oficinas ADSO (18 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
11	Interior, First Floor Pasillo 1 (8 FT X 25 FT): Clean 1 each, 75 SF of HVAC insulation, R-13 batts.
12	Interior, First Floor Pasillo 2 (8 FT x 25 FT): Clean 1 each, 75 SF of HVAC insulation, R-13 batts.
13	Interior, First Floor Pasillo 3 (8 FT X 93 FT): Clean 1 each, 75 SF of HVAC insulation, R-13 batts.
14	Interior, First Floor Room ADSO (14 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation- R-13 batts.
15	Interior, First Floor Room CA-106 (30 FT x 30 FT): Clean 1 each, 100 SF of HVAC insulation, R-13 batts.
16	Interior, First Floor Room CG-102 (30 FT x 30 FT): Clean 1 each, 100 SF of HVAC insulation, R-13 batts.
17	Interior, First Floor Room CG-103 (30 FT x 30 FT): Clean 1 each, 100 SF of HVAC insulation, R-13 batts.
18	Interior, First Floor Room CG-104 (30 FT x 30 FT): Clean 1 each, 100 SF of HVAC insulation, R-13 batts.
19	Interior, First Floor Room CG-105 (30 FT x 30 FT): Clean 1 each, 100 SF of HVAC insulation, R-13 batts.
20	Interior, Second Floor ADA Bathroom (7 FT x 7 FT): Clean 1 each, 10 SF of HVAC insulation, R-13 batts.
21	Interior, Second Floor Hallway 1 Main (8 FT x 93 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
22	Interior, Second Floor Hallway 2 (8 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
23	Interior, Second Floor Hallway 3 (8 FT x 93 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
24	Interior, Second Floor Lobby and Hallways (12 FT x 188 FT): Clean 1 each, 250 SF of HVAC insulation, R-13 batts.

25	Interior, Second Floor Men's Bathroom (10 FT x 15 FT): Clean 1 each, 25 SF of HVAC insulation, R-13 batts.
26	Interior, Second Floor Room CA-201 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
27	Interior, Second Floor Room CA-202 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
28	Interior, Second Floor Room CA-203 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
29	Interior, Second Floor Room CA-204 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
30	Interior, Second Floor Room CA-205 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
31	Interior, Second Floor Room CA-206 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
32	Interior, Second Floor Room CA-207 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
33	Interior, Second Floor Room CA-208 (18 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
34	Interior, Second Floor Room CA-210 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-19 batts.
35	Interior, Second Floor Room CA-211 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
36	Interior, Second Floor Room CA-212 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
37	Interior, Second Floor Room CA-213 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-13 batts.
38	Interior, Second Floor Room CA-214 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-19 batts.
39	Interior, Second Floor Room CA-215 (24 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-19 batts.
40	Interior, Second Floor Room CA-216 (18 FT x 25 FT): Clean 1 each, 50 SF of HVAC insulation, R-19 batts.
41	Interior, Second Floor Staff Bathroom (7 FT x 7 FT): Clean 1 each, 10 SF of HVAC insulation, R-13 batts.
42	Interior, Second Floor Teacher's Lounge (12 FT x 16 FT): Clean 1 each, 30 SF of HVAC insulation, R-19 batts.
43	Interior, Second Floor Women's Bathroom (10 FT x 15 FT): Clean 1 each, 25 SF of HVAC insulation, R-13 batts.
{00-006} Electrical:	
1	Interior, First Floor ADEM Professor's Offices (23 FT X 25 FT): Remove and replace 2 each, emergency lighting, recessed, 2 FT x 4 FT, 4-lamp.
2	Interior, First Floor Administration ADEM Offices (30 FT x 60 FT): Remove and replace 20 each, light fixture, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
3	Interior, First Floor Empresa Didactica (30 FT x 30 FT): Remove and replace 12 each, light fixture, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
4	Interior, First Floor Lobby and Hallways (12 FT X 188 FT): Remove and replace 3 each, light fixture, recessed can lights, 8 IN diameter.
5	Interior, First Floor Pasillo 1 (8 FT X 25 FT): Remove and replace 3 each, Electric panel.

6	Interior, First Floor Room CG-102 (30 FT x 30 FT): Remove and replace 12 each, light fixtures, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
7	Interior, First Floor Room CG-103 (30 FT x 30 FT): Remove and replace 12 each, recessed light fixtures, fluorescent, 2 FT x 4 FT, 4-lamp.
8	Interior, First Floor Room CG-104 (30 FT x 30 FT): Remove and replace 12 each, light fixtures, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
9	Interior, First Floor Room CG-105 (30 FT x 30 FT): Remove and replace 12 each, light fixtures, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
10	Exterior, Roof: Remove and replace 1 each, conduit, 1 IN, metal, 75 LF long.
11	Interior, Second Floor Lobby and Hallways (12 FT x 188 FT):
	1. Remove and replace 5 each, fluorescent flood lamps at Lobby, 6 IN x 12 IN.
	2. Remove and replace 8 each, light fixtures, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
12	Interior, Second Floor Mechanical Electrical Room (10 FT x 10 FT): Remove and replace 3 each, AHU power distribution switches.
13	Interior, Second Floor Room Amphitheater (30 FT x 60 FT): Remove and replace 20 each, light fixtures, fluorescent, recessed, 1 FT x 4 FT, 1-lamp.
14	Interior, Second Floor Room CA-204 (24 FT x 25 FT): Remove and replace, 9 each, light fixtures, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
15	Interior, Second Floor Room CA-207 (24 FT x 25 FT): Remove and replace 9 each, light fixtures, fluorescent, 2 FT x 4 FT, 4-lamp.
16	Interior, Second Floor Room CA-209 (24 FT x 25 FT): Remove and replace 2 each, duplex outlets, 20A.
17	Interior, Second Floor Room CA-211 (24 FT x 25 FT): Remove and replace 9 each, light fixtures, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
18	Interior, Second Floor Room CA-212 (24 FT x 25 FT): Remove and replace, 9 each, light fixtures, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
19	Interior, Second Floor Room CA-214 (24 FT x 25 FT): Remove and replace 9 each, light fixtures, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
20	Interior, Second Floor Room CA-215 (24 FT x 25 FT): Remove and replace 10 each, light fixtures, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
{00-009} ADA Compliance:	
1	Interior, First Floor Elevator Room:
	1. Remove and replace 1 each, elevator motor, 25 HP.
	2. Remove and replace 1 each, elevator, hydraulic type, 2 stops.
2	Interior, First Floor Lobby and Hallways (12 FT X 188 FT): Remove and replace 1 each, ADA door open sensor.
{00-010} Finishes:	
1	Exterior, Prepare and paint, 1 each 150 SF of soffits, painted cement plaster.
2	Exterior, Prepare and paint, 1 each 13,100 SF of exterior roof parapets.
3	Interior, First Floor ADEM Professor's Offices (23 FT X 25 FT): Clean 1 each, 575 SF of suspended metal grid.
4	Interior, First Floor Administration ADEM Offices (30 FT x 60 FT): Clean 1 each, 1,800 SF of suspended metal grid.
5	Interior, First Floor Empresa Didactica (30 FT x 30 FT): Clean 1 each, 900 SF of suspended metal grid.

6	Interior, First Floor Janitor Closet (6 FT x 6 FT): Clean 1 each, 36 SF of suspended metal grid.
7	Interior, Clean 1 each, 60 SF of suspended metal grid.
8	Interior, First Floor Lobby and Hallways (12 FT X 188 FT): Clean 1 each, 2,256 SF of suspended metal grid.
9	Interior, First Floor Mechanical Electrical Room (10 FT x 10 FT): Clean 1 each, 100 SF of suspended metal grid.
10	Interior, First Floor Men's Bathroom (12 FT X 15 FT): Clean 1 each, 180 SF of suspended metal grid.
11	Interior, First Floor Oficina Técnico Laboratorio (25 FT x 38 FT): Clean 1 each, 950 SF of suspended metal grid.
12	Interior, First Floor Oficinas ADSO (18 FT x 25 FT): Clean 1 each, 450 SF of suspended metal grid.
13	Interior, First Floor Pasillo 1 (8 FT X 25 FT): Clean 1 each, 200 SF of suspended metal grid.
14	Interior, First Floor Pasillo 2 (8 FT x 25 FT): Clean 1 each, 200 SF of suspended metal grid.
15	Interior, First Floor Pasillo 3 (8 FT X 93 FT): Clean 1 each, 744 SF of suspended metal grid.
16	Interior, First Floor Room ADSO (14 FT x 25 FT): Clean 1 each, 350 SF of suspended metal grid.
17	Interior, First Floor Room CA-106 (30 FT x 30 FT): Clean 1 each, 900 SF of suspended metal grid.
18	Interior, First Floor Room CG-102 (30 FT x 30 FT): Clean 1 each, 900 SF of suspended metal grid.
19	Interior, First Floor Room CG-103 (30 FT x 30 FT): Clean 1 each, 900 SF of suspended metal grid.
20	Interior, First Floor Room CG-104 (30 FT x 30 FT): Clean 1 each, 900 SF of suspended metal grid.
21	Interior, First Floor Room CG-105 (30 FT x 30 FT): Clean 1 each, 900 SF of suspended metal grid.
22	Interior, First Floor Room Enactus (23 FT x 25 FT): Clean 1 each, 575 SF of suspended metal grid.
23	Interior, Second Floor ADA Bathroom (7 FT x 7 FT): Clean 1 each, 49 SF of suspended metal grid.
24	Interior, Second Floor Hallway 1 Main (8 FT x 93 FT): Clean 1 each, 744 SF of suspended metal grid.
25	Interior, Second Floor Hallway 2 (8 FT x 25 FT): Clean 1 each, 200 SF of suspended metal grid.
26	Interior, Second Floor Hallway 3 (8 FT x 93 FT): Clean 1 each, 744 SF of suspended metal grid.
27	Interior, Second Floor Lobby and Hallways (12 FT x 188 FT): Clean 1 each, 2,256 SF of suspended metal grid.
28	Interior, Second Floor Mechanical Electrical Room (10 FT x 10 FT): Clean 1 each, 100 SF of suspended metal grid.
29	Interior, Second Floor Men's Bathroom (10 FT x 15 FT): Clean 1 each, 150 SF of suspended metal grid.
30	Interior, Second Floor Room Amphitheater (30 FT x 60 FT):
	1. Remove and replace 1 each, 1,800 SF of floor, VCT, 12 IN x 12 IN.

	2. Clean 1 each, 1,800 SF of suspended metal grid.
31	Interior, Second Floor Room Amphitheater (30 FT x 60 FT):
	1. Remove and replace 1 each, rubber stair nosing, 3 IN x 3 IN x 5 FT, 125 LF long.
	2. Reupholster 180 each, theater seats.
32	Interior, Second Floor Room CA-201 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
33	Interior, Second Floor Room CA-202 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
34	Interior, Second Floor Room CA-203 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
35	Interior, Second Floor Room CA-204 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
36	Interior, Second Floor Room CA-205 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
37	Interior, Second Floor Room CA-206 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
38	Interior, Second Floor Room CA-207 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
39	Interior, Second Floor Room CA-208 (18 FT x 25 FT): Clean 1 each, 450 SF of suspended metal grid.
40	Interior, Second Floor Room CA-209 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
41	Interior, Second Floor Room CA-210 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
42	Interior, Second Floor Room CA-211 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
43	Interior, Second Floor Room CA-212 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
44	Interior, Second Floor Room CA-213 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
45	Interior, Second Floor Room CA-214 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
46	Interior, Second Floor Room CA-215 (24 FT x 25 FT): Clean 1 each, 600 SF of suspended metal grid.
47	Interior, Second Floor Room CA-216 (18 FT x 25 FT): Clean 1 each, 450 SF of suspended metal grid.
48	Interior, Second Floor Staff Bathroom (7 FT x 7 FT): Clean 1 each, 49 SF of suspended metal grid.
49	Interior, Second Floor Teacher's Lounge (12 FT x 16 FT): Clean 1 each, 192 SF of suspended metal grid.
50	Interior, Second Floor Women's Bathroom (10 FT x 15 FT): Clean, 1 each, 150 SF of suspended metal grid.
51	Interior, First Floor ADEM Professor's Offices (23 FT X 25 FT): Remove and replace 1 each, 575 SF of 2 FT x 2 FT suspended acoustical tile.
52	Interior, First Floor Administration ADEM Offices (30 FT x 60 FT):
	1. Remove and replace 1 each, 1,800 SF of 2 FT x 4 FT acoustical ceiling tile.
	2. Clean 1 each, 1,800 SF of floor, tile, ceramic, 12 IN x 12 IN.

53	Interior, First Floor Centro de Desarrollo Empresarial (18 FT x 25 FT): Clean 1 each, 450 SF of floor, tile, ceramic, 12 IN x 12 IN.
54	Interior, First Floor Empresa Didactica Room (30 FT x 30 FT):
	1. Remove and replace 1 each, 900 SF of ceiling of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Prepare and paint 1 each, 250 SF of wall, cement plaster.
	3. Clean 1 each, 900 SF of ceramic floor tile, 4 IN x 4 IN, grouted.
55	Interior, First Floor Janitor Closet (6 FT x 6 FT):
	1. Remove and replace 1 each, 36 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Remove and replace 1 each, 60 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
56	Interior, First Floor Lobby and Hallways (12 FT X 188 FT):
	1. Remove and replace 1 each, 2,256 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Prepare and paint 1 each, Building Interior, 150 SF of cement plaster.
57	Interior, First Floor Mechanical Electrical Room (10 FT x 10 FT): Remove and replace 1 each, 100 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
58	Interior, First Floor Men's Bathroom (12 FT X 15 FT): Remove and replace 1 each, 180 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
59	Interior, First Floor Oficina Técnico Laboratorio (25 FT x 38 FT): Remove and replace 1 each, 950 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
60	Interior, First Floor Oficinas ADSO (18 FT x 25 FT):
	1. Remove and replace 1 each, 450 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Clean 1 each, 450 SF of ceramic floor tile, 12 IN x12 IN.
61	Interior, First Floor Pasillo 1 (8 FT X 25 FT): Remove and replace 1 each, 200 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
62	Interior, First Floor Pasillo 2 (8 FT x 25 FT): Remove and replace 1 each, 200 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
63	Interior, First Floor Pasillo 3 (8 FT X 93 FT):
	1. Remove and replace 1 each, 744 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Clean 1 each, 744 SF of ceramic floor tile, 4 IN x 4 IN.
64	Interior, First Floor Room ADSO (14 FT x 25 FT): Remove and replace 1 each, 350 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
65	Interior, First Floor Room CA-106 (30 FT x 30 FT):
	1. Remove and replace 1 each, 900 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Clean 1 each, 900 SF of ceramic floor tile, 1 IN x 1 IN.
66	Interior, First Floor Room CG-102 (30 FT x 30 FT):
	1. Remove and replace 1 each, 900 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Clean 1 each, 900 SF of ceramic floor tile, 4 IN x 4 IN.
67	Interior, First Floor Room CG-103 (30 FT x 30 FT): Remove and replace 1 each, 900 SF of 2 FT x 2 FT suspended acoustical ceiling tile.

68	Interior, First Floor Room CG-104 (30 FT x 30 FT): Remove and replace 1 each, 900 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
69	Interior, First Floor Room CG-105 (30 FT x 30 FT): Remove and replace 1 each, 900 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
70	Interior, First Floor Room Enactus (23 FT x 25 FT): Remove and replace 1 each, 575 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
71	Interior, General, Prepare and paint 1 each, 34,440 SF of painted surfaces.
72	Interior, Second Floor ADA Bathroom (7 FT x 7 FT): Remove and replace 1 each, 49 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
73	Interior, Second Floor Hallway 1 Main (8 FT x 93 FT): Remove and replace 1 each, 744 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
74	Interior, Second Floor Hallway 2 (8 FT x 25 FT): Remove and replace 1 each, 200 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
75	Interior, Second Floor Hallway 3 (8 FT x 93 FT): Remove and replace 1 each, 744 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
76	Interior, Second Floor Lobby and Hallways (12 FT x 188 FT):
	1. Prepare and paint 1 each, 900 SF of drywall ceilings, 5/8 IN.
	2. Remove and replace 1 each, 2,256 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	3. Clean 1 each, 600 SF of ceramic floor tile, 12 IN x 12 IN, grouted.
77	Interior, Second Floor Mechanical Electrical Room (10 FT x 10 FT): Remove and replace 1 each, 100 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
78	Interior, Second Floor Men's Bathroom (10 FT x 15 FT):
	1. Remove and replace 1 each, 150 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Prepare and paint 1 each, 200 SF of drywall walls, 5/8 IN.
79	Interior, Second Floor Room Amphitheater (30 FT x 60 FT):
	1. Remove and replace 1 each, 1,800 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Remove and replace 1 each, 50 SF of 4 FT x 6 FT acoustical ceiling panels, STR rated.
	3. Prepare and paint 1 each, 3,500 SF of drywall walls, 5/8 IN.
80	Interior, Second Floor Room CA-201 (24 FT x 25 FT): Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
81	Interior, Second Floor Room CA-202 (24 FT x 25 FT):
	1. Clean 1 each, 600 SF of ceramic floor tile, 12 IN x 12 in.
	2. Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
82	Interior, Second Floor Room CA-203 (24 FT x 25 FT):
	1. Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Clean 1 each, 600 SF of ceramic floor tile, 12 IN x 12 IN.
83	Interior, Second Floor Room CA-204 (24 FT x 25 FT): Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
84	Interior, Second Floor Room CA-205 (24 FT x 25 FT): Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.

85	Interior, Second Floor Room CA-206 (24 FT x 25 FT): Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
86	Interior, Second Floor Room CA-207 (24 FT x 25 FT):
	1. Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Clean 1 each, 600 SF of ceramic floor tile, 12 IN x 12 IN.
87	Interior, Second Floor Room CA-208 (18 FT x 25 FT):
	1. Remove and replace 1 each, 450 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Prepare and paint 1 each, 220 SF of drywall walls, 5/8 IN.
	3. Clean 1 each, 450 SF of ceramic floor tile, 12 IN x 12 IN.
88	Interior, Second Floor Room CA-209 (24 FT x 25 FT):
	1. Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Prepare and paint 1 each, 880 SF of drywall walls, 5/8 IN.
	3. Clean 1 each, 600 SF of ceramic floor tile, 12 IN x 12 IN.
89	Interior, Second Floor Room CA-210 (24 FT x 25 FT): Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
90	Interior, Second Floor Room CA-211 (24 FT x 25 FT): Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
91	Interior, Second Floor Room CA-212 (24 FT x 25 FT): Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
92	Interior, Second Floor Room CA-213 (24 FT x 25 FT): Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
93	Interior, Second Floor Room CA-214 (24 FT x 25 FT): Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
94	Interior, Second Floor Room CA-215 (24 FT x 25 FT):
	1. Remove and replace 1 each, 600 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Clean 1 each, 600 SF of ceramic floor tile, 12 IN x 12 IN.
95	Interior, Second Floor Room CA-216 (18 FT x 25 FT):
	1. Remove and replace 1 each, 450 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
	2. Prepare and paint 1 each, 400 SF of drywall walls, 5/8 IN.
	3. Clean 1 each, 450 SF of ceramic tile, 12 IN x 12 IN.
96	Interior, Second Floor Staff Bathroom (7 FT x 7 FT): Remove and replace 1 each, 49 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
97	FM. Interior, Second Floor Teacher's Lounge (12 FT x 16 FT): Remove and replace 1 each, 192 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
98	Interior, Second Floor Women's Bathroom (10 FT x 15 FT): Remove and replace 1 each, 150 SF of 2 FT x 2 FT suspended acoustical ceiling tile.
{00-012} Other Considerations:	
1	Mold, Interior: Clean 1 each, 28,738 SF of facility.
Hazard Mitigation Proposal (HMP) Scope of Work	

1	Roof Mitigation - (PA will replace entire roof. Mitigation will fund supplementary cost for a stronger material and additional components for a complete assembly including, walkway, termination bar and cap flashing).
	*Install 16,800 S.F. of SBS Built-up Roofing system with polyester fabric reinforcement.
	*Install 610 L.F. of termination bar along roof perimeter
	*Install 610 L.F. of non-corrosive cap flashing along roof perimeter.
	*Replace 12 ea. 6" cast iron roof drains with 12" cast iron domes.
2	Opening Mitigation – Replace all existing project out and picture windows with impact resistant units of equal type:
	(106) 4'x4' project out windows, (3) 8'x8' picture windows (fixed glass with aluminum frame).
3	Doors (Supplementary) - Replace all existing exterior doors with wind and impact resistant units of the same type:
	*(9) 3'x7' metal doors.
	*(3) 8'x8' double entrance glass doors with ADA open sensor.
	*Install 15 Ea. 4"x48" wide aluminum threshold with door sweep weather stripping.
	*Install Weather stripping along door perimeter of 15 Ea. exterior doors.
4	Load Path Mitigation
	Anchor supply fan using 1 Ea. 3'x3'x3'Anchoring System.
5	Lighting Fixtures (Supplementary)
	Install a facility power surge protective device.
6	Chillers (Supplementary)
	Install a cage like enclosure, metal framed, expanded metal walls and top, and steel tube structural posts, 20' wide x 80'long x 15' high covering the Chiller units. Anchor to concrete roof slab.

PW1115 - BUILDING 015 Edificio Terapia Física (252520)

{00-001} Building Envelope:

1	Exterior, Remove and replace 1 each, window, lab area, aluminum, jalousie, 3 FT x 3 FT.
2	Exterior, Remove and replace 1 each, glass window, lab area, 1 FT x 3 FT, glass broken.
3	Exterior, Prepare and paint 1 each, 11,592 SF of exterior surfaces.

{00-002} Roofing System:

1	Exterior, Remove and replace 1 each, 13,936 SF of built-up roofing membrane.
2	Exterior, Remove and replace 6 each, skylights, covered walkway, 4-sided pyramid, aluminum framed sloped acrylic, 7 FT x 7 FT.
3	Exterior, Remove and replace 2 each, exhaust, 24 IN dia.

{00-003} Lab Area Rooftop Equipment:

1	Exterior, Remove and replace 2 each, electric cooling unit, 6 TON, 70,000 BTU.
2	Exterior, Remove and replace 1 each, electric cooling unit, 4 TON, 45,000 BTU.
3	Exterior, Remove and replace 1 each, electric cooling unit, 7.5 TON, 86,000 BTU.

{00-004} Classroom Area Rooftop Equipment:

1	Exterior, Remove and replace 2 each, condensing unit, 6 TON, 70,000 BTU.
2	Exterior, Remove and replace 6 each, condensing unit, 22,000 BTU.
<u>{00-005} Exterior Hallway (11 FT x 142 FT):</u>	
1	Exterior, Clean 1 each, 1,570 SF of ceramic floor tiles, 12 IN x 12 IN.
<u>{01-005} First Floor Laboratory Area (6,800 SF irregular):</u>	
1	Interior, Remove and replace 1 each, 6,800 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
2	Interior, Prepare and paint 1 each, 500 SF of drywall walls, 5/8 IN.
3	Interior, Remove and replace 1 each, HVAC duct insulation, R-19 batt, 120 LF.
4	Interior, Remove and replace 2 each, aluminum sliding door, automatic, 8 FT x 8 FT.
5	Interior, Remove and replace 1 each, electrical panel, 120/208 V, 125 A.
6	Interior, Clean 1 each, 6,800 SF of ceramic tiles, 12 IN x 12 IN
<u>{01-006} First Floor Classroom Area (5,566 SF irregular):</u>	
1	Interior, Remove and replace 1 each, 5,566 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
2	Interior, Remove and replace 6 each, light fixture, 2 FT x 4 FT, recessed, 4-lamp.
3	Interior, Clean 1 each, HVAC duct insulation, R-19 batt, 105 LF long.
4	Interior, Prepare and paint 1 each, 1,000 SF of gypsum board wall, 5/8 IN.
5	Interior, Prepare and paint 1 each, door, metal, painted, 3 FT x 7 FT.
6	Interior, Clean 1 each, 5,566 SF of ceramic tiles, 12 IN x 12 IN.
7	Interior, Remove and replace 1 each, 300 LF of vinyl base, 4 IN.
8	Interior, Remove and replace 48 each, light fixture, 2 FT x 4 FT, recessed, 4-lamp.
<u>{02-007} Interior General:</u>	
1	Interior, Prepare and paint 1 each, 24,840 SF of building interior surfaces.
<u>{03-008} Mold:</u>	
1	Interior, Clean 1 each, 13,936 SF of facility.
<u>Hazard Mitigation Proposal (HMP) Scope of Work</u>	
1	Roof Mitigation - (PA will replace entire roof. Mitigation will fund supplementary cost for a stronger material and additional components for a complete assembly including, walkway, termination bar and cap flashing).
	*Install 13,936 S.F. of SBS Built-up Roofing system with polyester fabric reinforcement.
	*Install 800 L.F. of termination bar along roof perimeter
	*Install 800 L.F. of non-corrosive cap flashing along roof perimeter.
	*Replace 12 Ea. 6" cast iron roof drains with 12" cast iron domes.
	*Install 12 downspouts to improve drainage capacity.
2	Opening Mitigation – Replace all existing project out and picture windows with impact resistant units of equal type:
	*(18) 5'x5', single hung windows, (21) 2'x2', project out windows, (12) 2'x5', (12) 2'x2', (6) 2'x4' picture windows (fixed glass alum. frame), (1) 7'x4, (7) 2'-6"x2'6", (7) 3'6"x3'-6" aluminum fixed louvers, picture windows (fixed glass with aluminum frame).
3	Doors (Supplementary) - Replace all existing exterior doors with wind and impact resistant units of the same type:

	*(39) 3'x7' metal doors.
	*Install 39 Ea. 4"x36" wide ADA compliant aluminum thresholds with door sweep weather stripping.
	*Install weather stripping along door perimeter of 39 Ea. 3'x7' exterior doors.
4	Load Path Mitigation
	*Anchor supply 2 Ea. exhaust fans and 6 Ea. 22,000 BTU condensing units using 3'x3'x3' Rooftop Equipment Anchoring System.
	*Anchor supply 2 Ea. 6 Ton condensing units using 10'x10'x10' Rooftop Equipment Anchoring System.

PW1115 - BUILDING 016 Cuidado Diurno (252521)

{00-001} Building Envelope:

1	Exterior, Remove and replace 1 each, compressor, pad mount, 24,000 BTU. See Scope Note 1.
2	Exterior, Remove, replace, prepare and paint 1 each, 798 SF of cement board soffit, 1/8 IN.
3	Exterior, Remove and replace 1 each, exhaust vent, kitchen, 750 CFM.
4	Exterior, Remove and replace 1 each, 9 GA chain link fence, 5 FT high, 600 LF.
5	Exterior, Remove and replace 74 each, fence post, 5 FT high x 1-1/2 IN diameter, set in concrete.
6	Exterior, Remove, replace, prepare and paint 1 each, 10 SF of cement board fascia, 1/8 IN.

{00-002} Roofing System:

1	Exterior, Remove and replace 1 each, 4,100 SF of ribbed metal, exposed fasteners.
---	---

{01-003} First Floor Reception (15 FT x 17 FT):

1	Interior, Remove and replace 1 each, 250 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
---	---

{01-004} First Floor Administration (10 FT x 12 FT):

1	Interior, Remove and replace 1 each, 120 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
---	---

{01-005} First Floor Director's Office (10 FT x 18 FT):

1	Interior, Remove and replace 1 each, 180 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
---	---

{01-006} First Floor Secretary's Office (15 FT x 18 FT):

1	Interior, Remove and replace 1 each, 270 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
---	---

{01-007} First Floor Kitchen (20 FT x 22 FT):

1	Interior, Remove and replace 1 each, 440 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
---	---

{01-008} First Floor Living Room (30 FT x 36 FT):

1	Interior, Remove and replace 1 each, 1,080 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
2	Interior, Remove and replace 12 each, light fixture, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.

{01-009} First Floor Warehouse (16 FT x 22 FT):

1	Interior, Remove and replace 1 each, 352 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{01-010} First Floor Rest Area (23 FT x 28 FT):</u>	
1	Interior, Remove and replace 1 each, 644 SF 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{01-011} First Floor Janitor's Closet (5 FT x 7 FT):</u>	
1	Interior, Remove and replace 1 each, 35 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{01-012} First Floor Maintenance Closet (5 FT x 7 FT):</u>	
1	Interior, Remove and replace 1 each, 35 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{01-013} First Floor Child's Restroom 1 (14 FT x 15 FT):</u>	
1	Interior, Remove and replace 1 each, 210 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{01-014} First Floor Child's Restroom 2 (14 FT x 15 FT):</u>	
1	Interior, Remove and replace 1 each, 210 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{01-015} First Floor Women's Restroom (11 FT x 21 FT):</u>	
1	Interior, Remove and replace 1 each, 231 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{01-016} First Floor Men's Restroom (11 FT x 21 FT):</u>	
1	Interior, Remove and replace 1 each, 231 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{01-017} First Floor Corridor (5 FT x 80 FT):</u>	
1	Interior, Remove and replace 1 each, 400 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
2	Interior, Remove and replace 8 each, light fixture, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
<u>{01-018} First Floor Storage 1 (6 FT x 14 FT):</u>	
1	Interior, Remove and replace 1 each, 84 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
2	Interior, Remove and replace 1 each, electric water heater, 25 GAL.
<u>{01-019} First Floor Storage 2 (6 FT x 14 FT):</u>	
1	Interior, Remove and replace 1 each, 84 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{01-020} First Floor Nursery (26 FT x 27 FT):</u>	
	Interior, Remove and replace 1 each, 702 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
<u>{03-022} Mold:</u>	
	Interior, Clean 1 each, 4,100 SF of facility square footage.
<u>Hazard Mitigation Proposal (HMP) Scope of Work</u>	
<u>Surge Protection (Supplementary)</u>	
1	Install a three-phase facility surge protective device following manufacturer's recommendation to protect all electrical equipment.

Exhaust Fan Anchorage (Supplementary)	
1	Anchor fan to concrete using metal straps.
Chain Link Fence (Supplementary)	
1	Strengthen 600 LF of chain link fence by increasing the diameter of the posts from 2" to 3" and reducing the spacing between them from 10' to 8'.
Metal Roof (Supplementary)	
1	Strengthen metal roof by installing 7 Ea. non-corrosive fasteners every 12 S.F., 2,391.66 fastener total.
2	Replace 26 ga metal roof panels with 24 ga roof panels to strengthen assembly and prevent deformation.
Acoustic Ceiling (Supplementary)	
1	Install 5,558 SF of ceiling tiles with water resistant units.

PW1115 - BUILDING 032 Oficina de Recibo y Entregas (252551)	
<u>{00-001} Building Envelope:</u>	
1	Exterior, Remove and replace 1 each, 24,000 BTU A/C condensing unit.
<u>{00-001} Roofing System:</u>	
1	Exterior, Remove and replace 1 each, 5,208 SF of roof, metal, ribbed, 24 GA.
2	Exterior, Remove and replace 88 each, C6 IN X 2 IN X 15 FT long steel roof purlins.
<u>{00-002} Openings:</u>	
1	Exterior, Remove and replace 8 each, exterior door, metal clad, 3 FT x 6.67 FT.
2	Exterior, Prepare and paint 1 each, 1,000 SF of steel security bars.
<u>{00-006} Electrical:</u>	
1	Exterior, Remove and replace 1 each, light fixture, wall pack, LED, 150W.
2	Interior, First Floor Storage Room 1 (10 FT x 30 FT): Remove and replace 2 each, light fixture, fluorescent, recessed, 2 FT x 4 FT, 4-lamp.
<u>{00-008} Plumbing:</u>	
1	Exterior, Remove and replace 1 each, gutter, sheet metal, 26 GA, 25 FT long.
<u>{00-010} Finishes:</u>	
1	Exterior, Remove and replace 1 each, 500 SF of panels, stainless steel, polished, 1/4 IN.
2	Exterior, Prepare and paint 1 each, 400 SF of back wall, northwest, exterior surface.
3	Interior, First Floor Offices (10 FT x 30 FT):
	1. Remove and replace 1 each, 300 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
	2. Remove and replace 1 each, 300 SF of VCT floor, 12 IN x 12 IN.
	3. Remove and replace 1 each, 540 SF of wall, cement board, 1/8 IN.
4	Interior, First Floor Room 2 (14 FT x 30 FT):
	1. Remove and replace 1 each, 420 SF of 2 FT x 2 FT suspended acoustic ceiling tile.
	2. Remove and replace 1 each, 420 SF of VCT floor, 12 IN x 12 IN.
	3. Prepare and paint 1 each, 270 SF of wall, plywood.
5	Interior, First Floor Room 3 (8 FT x 30 FT):

	1. Prepare and paint 1 each, 360 SF of wall, cement board, 1/8 IN.
	2. Prepare and paint 1 each, 372 SF of wall, plywood, painted.
6	Interior, First Floor Storage Room 1 (10 FT x 30 FT):
	1. Remove and replace 1 each, 300 SF of ceiling, 2 FT x 2 FT suspended acoustic ceiling tile.
	2. Remove and replace 1 each, 300 SF of VCT floor, 12 IN x 12 IN.
	3. Prepare and paint 1 each, 270 SF of wall, cement board, 1/8 IN.
7	General: Interior, Prepare and paint 1 each, 8,060 SF of building interior.
{00-012} Other Considerations:	
1	Mold, Interior, Clean 1 each, 5,845 SF of facility.
Hazard Mitigation Proposal (HMP) Scope of Work	
A/C Compressor (Supplementary)	
1	Install a 30"x30'x30" metal cage like enclosure to protect condenser from debris.
Metal Roof Reinforcement (Supplementary)	
1	Replace 5,208 SF of 26 ga with 24 ga metal roof panels.
2	Replace 16 ga with 14. Ga structural frame girts.
3	Install 5,208 SF of SBS waterproofing membrane system with insulation.
4	Install 350 LF of gutter and 8 Ea. 14 LF downspouts. Anchor using 1 Ea. metal strap every 5 LF.
Doors (Supplementary) – Doors will be covered by PA. Mitigation measure will add protection against high velocity winds and winds driven rain.	
1	Install 2 each concealed flush bolts, top and bottom on one of double doors and 2 each flush bolts, top and bottom on the other door for 4 Ea. double doors.
2	Install 4 Ea. 4"x72" ADA aluminum threshold on 4 Ea. double doors.
3	Install alum/rubber door sweep weather stripping at bottom of 8 each 3' wide metal doors.
4	Install weather stripping along perimeter of 4 Ea. double doors.
5	Caulk interior and exterior perimeter of 4 Ea. double doors.
Vinyl Flooring (Supplementary)	
1	Replace regular adhesive with a waterproof underlayment for vinyl floors.

END OF DOCUMENT